CUSDEC Customs Declaration Message

Introduction:

This Customs Declaration Message (CUSDEC) permits the transfer of data from a declarant to a customs administration for the purpose of meeting legislative and/or operational requirements in respect of the declaration of goods for import, export or transit. The message may also be used, for example :
- to transmit data from an exporter in one country to an importer in another country; - to transmit consignment data from one customs administration to another; - to transmit data from a customs authority to other governments agencies and/or interested administrations. - to transmit data from a declarant to the appropriate data collection agency on the movement of goods between statistical territories.

Heading Section:

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Group Repeat	Notes and Comments
	010	UNH	Message Header	M	1		
	020	BGM	Beginning of Message	M	1		
Not Used	030	CST	Customs Status of Goods	C	1		
	040	LOC	Place/Location Identification	C	99		
	050	DTM	Date/Time/Period	C	15		
	060	GIS	General Indicator	C	25		
Not Used	070	FII	Financial Institution Information	C	1		
Not Used	080	MEA	Measurements	C	5		
	090	EQD	Equipment Details	C	999		
	100	SEL	Seal Number	C	999		
			Segment Group 1: RFF-DTM-SG2	C		99	
	110	RFF	Reference	M	1		
Not Used	120	DTM	Date/Time/Period	C	1		
			Segment Group 2: PAC-SG3	C		10	
Not Used	130	PAC	Package	M	1		
			Segment Group 3: PCI-FTX	C		999	
Not Used	140	PCI	Package Identification	M	1		
Not Used	150	FTX	Free Text	C	1		
			Segment Group 4: TDT-TPL	C		5	
	160	TDT	Details of Transport	M	1		
Not Used	170	TPL	Transport Placement	C	1		
			Segment Group 5: DOC-DTM-LOC	C		10	
Not Used	180	DOC	Document/Message Details	M	1		
Not Used	190	DTM	Date/Time/Period	C	2		
Not Used	200	LOC	Place/Location Identification	C	1		

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Group Repeat	Notes and Comments
			Segment Group 6: NAD-RFF-CTA-COM	C		10	
	210	NAD	Name and Address	M	1		
Not Used	220	RFF	Reference	C	10		
	230	CTA	Contact Information	C	1		
	240	COM	Communication Contact	C	5		
			Segment Group 7: TOD-LOC-FTX	C		1	
Not Used	250	TOD	Terms of Delivery or Transport	M	1		
Not Used	260	LOC	Place/Location Identification	C	2		
Not Used	270	FTX	Free Text	C	1		
			Segment Group 8: MOA-SG9	C		25	
Not Used	280	MOA	Monetary Amount	M	1		
			Segment Group 9: CUX-DTM	C		1	
Not Used	290	CUX	Currencies	M	1		
Not Used	300	DTM	Date/Time/Period	C	1		

Section Control:

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Group Repeat	Notes and Comments
	010	UNS	Section Control	M	1		

Detail Section:

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Group Repeat	Notes and Comments
			Segment Group 10: DMS-DTM-MEA-SG11-SG13-SG14-SG16-SG18-SG19-SG21	C		999	
	020	DMS	Document/Message Summary	M	1		
Not Used	030	DTM	Date/Time/Period	C	1		
Not Used	040	MEA	Measurements	C	5		
			Segment Group 11: MOA-SG12	C		25	
Not Used	050	MOA	Monetary Amount	M	1		
			Segment Group 12: CUX-DTM	C		1	
Not Used	060	CUX	Currencies	M	1		
Not Used	070	DTM	Date/Time/Period	C	1		
			Segment Group 13: TOD-LOC-FTX	C		1	
Not Used	080	TOD	Terms of Delivery or Transport	M	1		
Not Used	090	LOC	Place/Location Identification	C	2		
Not Used	100	FTX	Free Text	C	1		
			Segment Group 14: NAD-SG15	C		10	

Not Used	110	NAD	Name and Address	M	1	
			Segment Group 15: DOC-DTM-LOC	C		10
Not Used	120	DOC	Document/Message Details	M	1	
Not Used	130	DTM	Date/Time/Period	C	2	
Not Used	140	LOC	Place/Location Identification	C	1	
			Segment Group 16: PAC-SG17	C		10
Not Used	150	PAC	Package	M	1	
			Segment Group 17: PCI-FTX-RFF	C		999
Not Used	160	PCI	Package Identification	M	1	
Not Used	170	FTX	Free Text	C	1	
Not Used	180	RFF	Reference	C	1	
			Segment Group 18: PAT-MOA-PCD-FTX	C		5
Not Used	190	PAT	Payment Terms Basis	M	1	
Not Used	200	MOA	Monetary Amount	C	1	
Not Used	210	PCD	Percentage Details	C	1	
Not Used	220	FTX	Free Text	C	1	
			Segment Group 19: ALC-RTE-MOA-PCD-QTY-SG20	C		10
Not Used	230	ALC	Allowance or Charge	M	1	
Not Used	240	RTE	Rate Details	C	1	
Not Used	250	MOA	Monetary Amount	C	1	
Not Used	260	PCD	Percentage Details	C	1	
Not Used	270	QTY	Quantity	C	1	
			Segment Group 20: CUX-DTM	C		1
Not Used	280	CUX	Currencies	M	1	
Not Used	290	DTM	Date/Time/Period	C	1	
			Segment Group 21: LIN-PIA-QTY-PRI-PCD-MEA-QVA-MOA-NAD-GIR-SG22-SG23-SG25-SG26-SG27-SG28	C		9999
	300	LIN	Line Item	M	1	
	310	PIA	Additional Product Id	C	1	
Not Used	320	QTY	Quantity	C	1	
Not Used	330	PRI	Price Details	C	2	
Not Used	340	PCD	Percentage Details	C	1	
	350	MEA	Measurements	C	5	
Not Used	360	QVA	Quantity Variances	C	5	
	370	MOA	Monetary Amount	C	15	
Not Used	380	NAD	Name and Address	C	10	
	390	GIR	Related Identification Numbers	C	9999	
			Segment Group 22: DOC-DTM	C		10

Not Used	400	DOC	Document/Message Details	M	1		
Not Used	410	DTM	Date/Time/Period	C	2		
			Segment Group 23: ALC-RTE-MOA-PCD-QTY-SG24	C		10	
Not Used	420	ALC	Allowance or Charge	M	1		
Not Used	430	RTE	Rate Details	C	1		
Not Used	440	MOA	Monetary Amount	C	1		
Not Used	450	PCD	Percentage Details	C	1		
Not Used	460	QTY	Quantity	C	1		
			Segment Group 24: CUX-DTM	C		1	
Not Used	470	CUX	Currencies	M	1		
Not Used	480	DTM	Date/Time/Period	C	1		
			Segment Group 25: TOD-LOC	C		1	
Not Used	490	TOD	Terms of Delivery or Transport	M	1		
Not Used	500	LOC	Place/Location Identification	C	2		
			Segment Group 26: PAT-MOA-PCD-FTX	C		5	
Not Used	510	PAT	Payment Terms Basis	M	1		
Not Used	520	MOA	Monetary Amount	C	1		
Not Used	530	PCD	Percentage Details	C	1		
Not Used	540	FTX	Free Text	C	1		
			Segment Group 27: IMD-FTX	C		5	
Not Used	550	IMD	Item Description	M	1		
Not Used	560	FTX	Free Text	C	1		
			Segment Group 28: PAC-SG29	C		10	
Not Used	570	PAC	Package	M	1		
			Segment Group 29: PCI-FTX-RFF	C		999	
Not Used	580	PCI	Package Identification	M	1		
Not Used	590	FTX	Free Text	C	1		
Not Used	600	RFF	Reference	C	1		

Summary Section:

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Group Repeat	Notes and Comments
			Segment Group 30: CST-FTX-LOC-DTM-MEA-NAD-TDT-SG31-SG33-SG35-SG37-SG38-SG39-SG40-SG41-SG42-SG44	C		9999	
Not Used	010	CST	Customs Status of Goods	M	1		
Not Used	020	FTX	Free Text	C	9		
Not Used	030	LOC	Place/Location Identification	C	25		

Not Used	040	DTM	Date/Time/Period	C	5	
Not Used	050	MEA	Measurements	C	20	
Not Used	060	NAD	Name and Address	C	5	
Not Used	070	TDT	Details of Transport	C	1	
			Segment Group 31: PAC-SG32	C		10
Not Used	080	PAC	Package	M	1	
			Segment Group 32: PCI-FTX	C		999
Not Used	090	PCI	Package Identification	M	1	
Not Used	100	FTX	Free Text	C	1	
			Segment Group 33: MOA-SG34	C		25
Not Used	110	MOA	Monetary Amount	M	1	
			Segment Group 34: CUX-DTM	C		1
Not Used	120	CUX	Currencies	M	1	
Not Used	130	DTM	Date/Time/Period	C	1	
			Segment Group 35: RFF-DTM-GIN-MOA-SG36	C		999
Not Used	140	RFF	Reference	M	1	
Not Used	150	DTM	Date/Time/Period	C	1	
Not Used	160	GIN	Goods Identity Number	C	99	
Not Used	170	MOA	Monetary Amount	C	1	
			Segment Group 36: IMD-FTX	C		1
Not Used	180	IMD	Item Description	M	1	
Not Used	190	FTX	Free Text	C	5	
			Segment Group 37: DOC-DTM-LOC-NAD	C		25
Not Used	200	DOC	Document/Message Details	M	1	
Not Used	210	DTM	Date/Time/Period	C	2	
Not Used	220	LOC	Place/Location Identification	C	1	
Not Used	230	NAD	Name and Address	C	5	
			Segment Group 38: TOD-LOC-FTX	C		1
Not Used	240	TOD	Terms of Delivery or Transport	M	1	
Not Used	250	LOC	Place/Location Identification	C	2	
Not Used	260	FTX	Free Text	C	1	
			Segment Group 39: GDS-FTX	C		1
Not Used	270	GDS	Nature of Cargo	M	1	
Not Used	280	FTX	Free Text	C	1	
			Segment Group 40: GIS-PCD-DTM-RFF	C		25
Not Used	290	GIS	General Indicator	M	1	
Not Used	300	PCD	Percentage Details	C	1	
Not Used	310	DTM	Date/Time/Period	C	1	

	Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Group Repeat	Notes and Comments
Not Used	320	RFF	Reference	C	1		
			Segment Group 41: TAX-MOA-GIS	C		10	
Not Used	330	TAX	Duty/Tax/Fee Details	M	1		
Not Used	340	MOA	Monetary Amount	C	2		
Not Used	350	GIS	General Indicator	C	1		
			Segment Group 42: QVA-QTY-SG43	C		1	
Not Used	360	QVA	Quantity Variances	M	1		
Not Used	370	QTY	Quantity	C	1		
			Segment Group 43: RFF-DTM	C		1	
Not Used	380	RFF	Reference	M	1		
Not Used	390	DTM	Date/Time/Period	C	1		
			Segment Group 44: GIR-GIS-NAD-MEA-SG45-SG47-SG48	C		50	
Not Used	400	GIR	Related Identification Numbers	M	1		
Not Used	410	GIS	General Indicator	C	10		
Not Used	420	NAD	Name and Address	C	1		
Not Used	430	MEA	Measurements	C	5		
			Segment Group 45: MOA-SG46	C		10	
Not Used	440	MOA	Monetary Amount	M	1		
			Segment Group 46: CUX-DTM	C		1	
Not Used	450	CUX	Currencies	M	1		
Not Used	460	DTM	Date/Time/Period	C	1		
			Segment Group 47: TAX-MOA-GIS	C		10	
Not Used	470	TAX	Duty/Tax/Fee Details	M	1		
Not Used	480	MOA	Monetary Amount	C	2		
Not Used	490	GIS	General Indicator	C	1		
			Segment Group 48: DOC-DTM-LOC	C		5	
Not Used	500	DOC	Document/Message Details	M	1		
Not Used	510	DTM	Date/Time/Period	C	2		
Not Used	520	LOC	Place/Location Identification	C	1		

Section Control:

Pos. No.	Seg. ID	Name	Req. Des.	Max.Use	Group Repeat	Notes and Comments
010	UNS	Section Control	M	1		

Pos.	Seg.		Req.		Group	Notes and

	No.	ID	Name	Des.	Max.Use	Repeat	Comments
	020	CNT	Control Total	C	5		
			Segment Group 49: TAX-MOA-GIS	C		50	
Not Used	030	TAX	Duty/Tax/Fee Details	M	1		
Not Used	040	MOA	Monetary Amount	C	2		
Not Used	050	GIS	General Indicator	C	1		
			Segment Group 50: AUT-DTM	C		1	
Not Used	060	AUT	Authentication Result	M	1		
Not Used	070	DTM	Date/Time/Period	C	1		
	080	UNT	Message Trailer	M	1		

Segment: **UNH** Message Header

Position: 010
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: To head, identify and specify a Message
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data Element	Component Element	Name	Attributes		
>>	0062		**Message reference number**	M	AN	1/14

Unique message reference assigned by the sender.

AES! =A unique number to identify unit of work

>>	S009		**Message Identifier**	M		

Identification of the type, version etc. of the message being interchanged.

>>		0065	**Message type identifier**	M	AN	1/6

Code identifying a type of message and assigned by its controlling agency.

CUSDEC   Customs declaration message

Refer to D.94B Data Element Dictionary for acceptable code values.

>>		0052	**Message type version number**	M	AN	1/3

Version number of a message type.

D   Draft standard for use

>>		0054	**Message type release number**	M	AN	1/3

Release number within the current message type version number (0052).

94B - Version release number

>>		0051	**Controlling agency**	M	AN	1/2

Code identifying the agency controlling the specification, maintenance and publication of the message type.

UN - United nations

Refer to D.94B Data Element Dictionary for acceptable code values.

X		0057	**Association assigned code**	C	AN	1/6

Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.

X	0068		**Common access reference**	C	AN	1/35

Reference serving as a key to relate all subsequent transfers of data to the same business case or file.

X	S010		**Status of the Transfer**	C		

Statement that the message is one in a sequence of transfers relating to the same topic.

| X | | 0070 | **Sequence message transfer number** | **M** | **N** | **1/2** |

Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.

| X | | 0073 | **First/last sequence message transfer indication** | **C** | **A** | **1/1** |

Indication used for the first and last message in a sequence of the same type of message relating to the same topic.

Refer to D.94B Data Element Dictionary for acceptable code values.

	Segment:	**BGM** Beginning of Message
	Position:	020
	Group:	
	Level:	0
	Usage:	Mandatory
	Max Use:	1
	Purpose:	To indicate the type and function of a message and to transmit the identifying number.
	Syntax Notes:	
	Semantic Notes:	
	Comments:	

Data Element Summary

	Data Element	Component Element	Name	Attributes		
	C002		**Document/Message Name**	**C**		
			Identification of a type of document/message by code or name. Code preferred.			
>>		**1001**	**Document/message name, coded**	C	AN	1/3
			Document/message identifier expressed in code.			
			830 =AES APPLICATION ID			
		1131	**Code list qualifier**	C	AN	1/3
			Identification of a code list.			
			173 = Export requirements			
		3055	**Code list responsible agency, coded**	C	AN	1/3
			Code identifying the agency responsible for a code list.			
			2			
		1000	**Document/message name**	C	AN	1/35
			Plain language identifier specifying the function of a document/message.			
			111 - U.S. Customs			
X	**1004**		**Document/message number**	C	AN	1/35
			Reference number assigned to the document/message by the issuer.			
			173 -			
X	**1225**		**Message function, coded**	C	AN	1/3
			Code indicating the function of the message.			
			3 = CHANGE 4 = DELETE			
			Refer to D.94B Data Element Dictionary for acceptable code values.			
X	**4343**		**Response type, coded**	C	AN	1/3
			Code specifying the type of acknowledgment required or transmitted.			
			Refer to D.94B Data Element Dictionary for acceptable code values.			

Segment: # LOC Place/Location Identification

Position:	040
Group:	
Level:	1
Usage:	Conditional
Max Use:	99
Purpose:	To identify a country/place/location/related location one/related location two.
Syntax Notes:	
Semantic Notes:	
Comments:	
Notes:	11 = Port of unlading 36 = Country of ultimate destination 116 = Port of exportation

Data Element Summary

	Data Element	Component Element	Name	Attributes		
>>		3227	**Place/location qualifier**	M	AN	1/3

Code identifying the function of a location.

11 = Port of unlading
36 = Country of ultimate destination
116 = Port of exportation

Refer to D.94B Data Element Dictionary for acceptable code values.

		C517	**Location Identification**	C		

Identification of a location by code or name.

		3225	**Place/location identification**	C	AN	1/25
>>						

Identification of the name of place/location, other than 3164 City name.

Country code (ultimate destination) or
Port of exportation code or
Port of unlading

		1131	**Code list qualifier**	C	AN	1/3
>>						

Identification of a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

		3055	**Code list responsible agency, coded**	C	AN	1/3
>>						

Code identifying the agency responsible for a code list.

111 -U.S.Customs

Refer to D.94B Data Element Dictionary for acceptable code values.

		3224	**Place/location**	C	AN	1/17

Name of place/location, other than 3164 City name.

		C519	**Related Location One Identification**	C		
X						

Identification the first related location by code or name.

X		3223	**Related place/location one identification**	C	AN	1/25

Specification of the first related place/location by code.

X		1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		3222	**Related place/location one**	C	AN	1/70

Specification of the first related place/location by name.

X	C553		**Related Location Two Identification**	C		

Identification of second related location by code or name.

X		3233	**Related place/location two identification**	C	AN	1/25

Specification of a second related place/location by code.

X		1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		3232	**Related place/location two**	C	AN	1/70

Specification of a second related place/location by name.

X	5479		**Relation, coded**	C	AN	1/3

To specify the relationship between two or more items.

Segment: # DTM Date/Time/Period

Position:	050
Group:	
Level:	1
Usage:	Conditional
Max Use:	15
Purpose:	To specify date, and/or time, or period.
Syntax Notes:	
Semantic Notes:	
Comments:	

Data Element Summary

Data Element	Component Element	Name	Attributes		
>>	C507	**Date/Time/Period**	**M**		
		Date and/or time, or period relevant to the specified date/time/period type.			
>>	2005	**Date/time/period qualifier**	**M**	**AN**	**1/3**
		Code giving specific meaning to a date, time or period.			

    97 = Data transmission date
    129 = Date of exportation
    132 = date of arrival, estimated

Data Element	Component Element	Name	Attributes		
		Refer to D.94B Data Element Dictionary for acceptable code values.			
>>	2380	**Date/time/period**	**C**	**AN**	**1/35**
		The value of a date, a date and time, a time or of a period in a specified representation.			
>>	2379	**Date/time/period format qualifier**	**C**	**AN**	**1/3**
		Specification of the representation of a date, a date and time or of a period.			
		Refer to D.94B Data Element Dictionary for acceptable code values.			

	Segment:	**GIS** General Indicator
	Position:	060
	Group:	
	Level:	1
	Usage:	Conditional
	Max Use:	25
	Purpose:	To transmit a processing indicator.
	Syntax Notes:	
	Semantic Notes:	
	Comments:	

Data Element Summary

Data Element	Component Element	Name	Attributes
>>	C529	**Processing Indicator**	**M**
		Type of process indication.	
>>	7365	**Processing indicator, coded**	**M AN 1/3**

Identifies the value to be attributed to indicators required by the processing system.

> Inbond codes : WW,TIB,IB,TE,IE,TX
> Hazmat codes : HAZ
> Disclosure Ind : DI
> Waiver of Prior: WPN
> notice
> Related party : RI(related)
>   nr (not related)

Refer to D.94B Data Element Dictionary for acceptable code values.

	1131	**Code list qualifier**	**C AN 1/3**

Identification of a code list.

> 109 = Customs Indicator

Refer to D.94B Data Element Dictionary for acceptable code values.

	3055	**Code list responsible agency, coded**	**C AN 1/3**

Code identifying the agency responsible for a code list.

> 111 = U.S. Customs

Refer to D.94B Data Element Dictionary for acceptable code values.

	7187	**Process type identification**	**C AN 1/17**

Specification of a process or subprocess to which the quality data relates.

Refer to D.94B Data Element Dictionary for acceptable code values.

Segment: # EQD Equipment Details

Position:	090
Group:	
Level:	1
Usage:	Conditional
Max Use:	999
Purpose:	To identify a unit of equipment.
Syntax Notes:	
Semantic Notes:	
Comments:	

Data Element Summary

Data Element	Component Element	Name	Attributes		
>>	8053	**Equipment qualifier**	M	AN	1/3

Code identifying type of equipment.

CN = Container

Refer to D.94B Data Element Dictionary for acceptable code values.

	C237	**Equipment Identification**	C		

Marks (letters and/or numbers) identifying equipment used for transport such as a container.

	8260	**Equipment identification number**	C	AN	1/17

Marks (letters and/or numbers) which identify equipment e.g. unit load device.

Container number

X	1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	3207	**Country, coded**	C	AN	1/3

Identification of the name of a country or other geographical entity as specified in ISO 3166.

X	C224	**Equipment Size and Type**	C		

Code and/or name identifying size and type of equipment used in transport. Code preferred.

X	8155	**Equipment size and type identification**	C	AN	1/10

Coded description of the size and type of equipment e.g. unit load device.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

| X | | 8154 | **Equipment size and type** | C | AN | 1/35 |

Plain language description of the size and type of equipment e.g. unit load device.

| X | 8077 | | **Equipment supplier, coded** | C | AN | 1/3 |

To indicate the party that is the supplier of the equipment.

Refer to D.94B Data Element Dictionary for acceptable code values.

| X | 8249 | | **Equipment status, coded** | C | AN | 1/3 |

Indication of the action related to the equipment.

Refer to D.94B Data Element Dictionary for acceptable code values.

| X | 8169 | | **Full/empty indicator, coded** | C | AN | 1/3 |

To indicate the extent to which the equipment is full or empty.

Refer to D.94B Data Element Dictionary for acceptable code values.

	Segment:	**SEL** Seal Number
	Position:	100
	Group:	
	Level:	1
	Usage:	Conditional
	Max Use:	999
	Purpose:	To specify a seal number related to equipment.
	Syntax Notes:	
	Semantic Notes:	
	Comments:	

Data Element Summary

	Data Element	Component Element	Name	Attributes		
>>	9308		**Seal number**	M	AN	1/10
			The number of a custom seal or another seal affixed to the containers or other transport unit.			
			Seal number			
X	C215		**Seal Issuer**	C		
			Identification of the issuer of a seal on equipment either by code or by name.			
X		9303	**Sealing party, coded**	C	AN	1/3
			Identification of the issuer of the seal number.			
			Refer to D.94B Data Element Dictionary for acceptable code values.			
X		1131	**Code list qualifier**	C	AN	1/3
			Identification of a code list.			
			Refer to D.94B Data Element Dictionary for acceptable code values.			
X		3055	**Code list responsible agency, coded**	C	AN	1/3
			Code identifying the agency responsible for a code list.			
			Refer to D.94B Data Element Dictionary for acceptable code values.			
X		9302	**Sealing party**	C	AN	1/35
			Clear text, representing the name of the issuer of the seal number.			

Segment: **RFF** Reference

Position: 110
Group: Segment Group 1   Conditional
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: To specify a reference.
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

Data Element	Component Element	Name	Attributes		
>>	C506	**Reference**	M		
		Identification of a reference.			
>>	1153	**Reference qualifier**	M	AN	1/3
		Code giving specific meaning to a reference segment or a reference number.			
		SRN = Shippers Reference Number qualifier FT = Foreign trade zone qualifier AEI = Entry Number or Inbond Number			
		Refer to D.94B Data Element Dictionary for acceptable code values.			
	1154	**Reference number**	C	AN	1/35
		Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.			
X	1156	**Line number**	C	AN	1/6
		Number of the line in the document/message referenced in 1154 Reference number.			
X	4000	**Reference version number**	C	AN	1/35
		To uniquely identify a reference by its revision number.			

Segment:	**TDT** Details of Transport
Position:	160
Group:	Segment Group 4 Conditional
Level:	1
Usage:	Mandatory
Max Use:	1
Purpose:	To specify the transport details such as mode of transport, means of transport, its conveyance reference number and the identification of the means of transport. The segment may be pointed to by the TPL segment.
Syntax Notes:	
Semantic Notes:	
Comments:	

Data Element Summary

	Data Element	Component Element	Name		Attributes		
>>	8051		**Transport stage qualifier**	M	AN	1/3
			Qualifier giving a specific meaning to the transport details.			
			12 = Departing Shipment			
			Refer to D.94B Data Element Dictionary for acceptable code values.			
	8028		**Conveyance reference number**	C	AN	1/17
			Unique reference given by the carrier to a certain journey or departure of a means of transport (generic term).			
	C220		**Mode of Transport**	C		
			Method of transport code or name. Code preferred.			
		8067	**Mode of transport, coded**	C	AN	1/3
			Coded method of transport used for the carriage of the goods.			
X		8066	**Mode of transport**	C	AN	1/17
			Method of transport used for the carriage of the goods.			
X	C228		**Transport Means**	C		
			Code and/or name identifying the type of means of transport.			
X		8179	**Type of means of transport identification**	C	AN	1/8
			Code defining the type of the means of transport being utilized.			
			Refer to D.94B Data Element Dictionary for acceptable code values.			
X		8178	**Type of means of transport**	C	AN	1/17
			Description of the type of the means of transport being utilized.			
	C040		**Carrier**	C		
			Identification of a carrier by code and/or by name. Code preferred.			
		3127	**Carrier identification**	C	AN	1/17
			Identification of party undertaking or arranging transport of goods between named points.			
		1131	**Code list qualifier**	C	AN	1/3

			Identification of a code list.			

Refer to D.94B Data Element Dictionary for acceptable code values.

		3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		3128	**Carrier name**	C	AN	1/35

Name of party undertaking or arranging transport of goods between named points.

X	8101		**Transit direction, coded**	C	AN	1/3

Identification of the point of origin and point of direction.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	C401		**Excess Transportation Information**	C		

To provide details of reason for, and responsibility for, use of transportation other than normally utilized.

X		8457	**Excess transportation reason, coded**	M	AN	1/3

Indication of reason for excess transportation.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		8459	**Excess transportation responsibility, coded**	M	AN	1/3

Indication of responsibility for excess transportation.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		7130	**Customer authorization number**	C	AN	1/17

Customer provided authorization number to allow supplier to ship goods under specific freight conditions. This number will be transmitted back to customer in the dispatch advice message.

	C222		**Transport Identification**	C		

Code and/or name identifying the means of transport.

X		8213	**Id. of means of transport identification**	C	AN	1/9

Identification of the means of transport by name or number.

X		1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

		8212	**Id. of the means of transport**	C	AN	1/35

Identification of the means of transport by name or number.

		8453	**Nationality of means of transport, coded**	C	AN	1/3

Coded name of the country in which a means of transport is registered.

X	8281		**Transport ownership, coded**	C	AN	1/3

Code indicating the ownership of the means of transport.

Refer to D.94B Data Element Dictionary for acceptable code values.

Segment: # NAD Name and Address

Position: 210
Group: Segment Group 6   Conditional
Level: 1
Usage: Mandatory
Max Use: 1
Purpose: To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data Element	Component Element	Name		Attributes		
>>	3035		**Party qualifier**	M	AN	1/3	

Code giving specific meaning to a party.

> EX : Exporter
> FW: Freight Forwarder
> CN : Consignee

Refer to D.94B Data Element Dictionary for acceptable code values.

| | C082 | | **Party Identification Details** | C | | | |

Identification of a transaction party by code.

| >> | | 3039 | **Party id. identification** | M | AN | 1/35 | |

Code identifying a party involved in a transaction.

> Party Identification
> 9 pos. DUNS or SSN or IRS

| | | 1131 | **Code list qualifier** | C | AN | 1/3 | |

Identification of a code list.

> 164 : DUNS qualifier
> 165 : SSN   qualifier
> 166 : EIN   qualifier

Refer to D.94B Data Element Dictionary for acceptable code values.

| | | 3055 | **Code list responsible agency, coded** | C | AN | 1/3 | |

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

| X | C058 | | **Name and Address** | C | | | |

Unstructured name and address: one to five lines.

| X | | 3124 | **Name and address line** | M | AN | 1/35 | |

Free form name and address description.

| X | | 3124 | **Name and address line** | C | AN | 1/35 | |

Free form name and address description.

| X | | 3124 | **Name and address line** | C | AN | 1/35 | |

			Free form name and address description.			
X		3124	**Name and address line**	C	AN	**1/35**
			Free form name and address description.			
X		3124	**Name and address line**	C	AN	**1/35**
			Free form name and address description.			
	C080		**Party Name**	C		
			Identification of a transaction party by name, one to five lines. Party name may be formatted.			
>>		3036	**Party name**	M	AN	**1/35**
			Name of a party involved in a transaction.			
			Party name			
X		3036	**Party name**	C	AN	**1/35**
			Name of a party involved in a transaction.			
X		3036	**Party name**	C	AN	**1/35**
			Name of a party involved in a transaction.			
X		3036	**Party name**	C	AN	**1/35**
			Name of a party involved in a transaction.			
X		3036	**Party name**	C	AN	**1/35**
			Name of a party involved in a transaction.			
X		3045	**Party name format, coded**	C	AN	**1/3**
			Specification of the representation of a party name.			
			Refer to D.94B Data Element Dictionary for acceptable code values.			
	C059		**Street**	C		
			Street address and/or PO Box number in a structured address: one to three lines.			
>>		3042	**Street and number/p.o. box**	M	AN	**1/35**
			Street and number in plain language, or Post Office Box No.			
			Address Line1			
		3042	**Street and number/p.o. box**	C	AN	**1/35**
			Street and number in plain language, or Post Office Box No.			
			Address Line 2			
		3042	**Street and number/p.o. box**	C	AN	**1/35**
			Street and number in plain language, or Post Office Box No.			
			Address Line 3			
	3164		**City name**	C	AN	**1/35**
			Name of a city (a town, a village) for addressing purposes.			
	3229		**Country sub-entity identification**	C	AN	**1/9**
			Identification of the name of sub-entities (state, province) defined by appropriate governmental agencies.			
			State code			

3251   **Postcode identification**   **C**   **AN**   **1/9**

Code defining postal zones or addresses.

3207   **Country, coded**   **C**   **AN**   **1/3**

Identification of the name of a country or other geographical entity as specified in ISO 3166.

Segment:	**CTA** Contact Information
Position:	230
Group:	Segment Group 6 Conditional
Level:	2
Usage:	Conditional
Max Use:	1
Purpose:	To identify a person or a department to whom communication should be directed.
Syntax Notes:	
Semantic Notes:	
Comments:	

Data Element Summary

	Data Element	Component Element	Name	Attributes		
X	3139		**Contact function, coded**	C	AN	1/3
			Code specifying the function of a contact (e.g. department or person).			
			Refer to D.94B Data Element Dictionary for acceptable code values.			
	C056		**Department or Employee Details**	C		
			Code and/or name of a department or employee. Code preferred.			
X		3413	**Department or employee identification**	C	AN	1/17
			Internal identification code.			
		3412	**Department or employee**	C	AN	1/35
			The department or person within an organizational entity.			
			Contact name			

Segment:	**COM** Communication Contact			
Position:	240			
Group:	Segment Group 6	Conditional		
Level:	2			
Usage:	Conditional			
Max Use:	5			
Purpose:	To identify a communication number of a department or a person to whom communication should be directed.			
Syntax Notes:				
Semantic Notes:				
Comments:				

Data Element Summary

	Data Element	Component Element	Name	Attributes		
>>	C076		**Communication Contact**	**M**		
			Communication number of a department or employee in a specified channel.			
>>		3148	**Communication number**	**M**	**AN**	**1/25**
			Complete communication number including country or area code when applicable. Also see: 3153 Communication channel identifier.			
			Contact phone number			
>>		3155	**Communication channel qualifier**	**M**	**AN**	**1/3**
			Code identifying the type of communication channel being used.			
			TE = Telephone			
			Refer to D.94B Data Element Dictionary for acceptable code values.			

Segment: **UNS** Section Control

Position: 010
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: To separate Header, Detail and Summary sections of a message
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

Data Element	Component Element	Name	Attributes		
>>	**0081**	**Section identifier**	**M**	**A**	**1/1**

A character identifying the next section in a message.

D = Detail section

Refer to D.94B Data Element Dictionary for acceptable code values.

Segment:	**DMS** Document/Message Summary		
Position:	020		
Group:	Segment Group 10	Conditional	
Level:	1		
Usage:	Mandatory		
Max Use:	1		
Purpose:	To specify summary information relating to the document/message.		
Syntax Notes:			
Semantic Notes:			
Comments:			

Data Element Summary

Data Element	Component Element	Name	Attributes		
1004		**Document/message number**	C	AN	1/35
		Reference number assigned to the document/message by the issuer.			
1001		**Document/message name, coded**	C	AN	1/3
		Document/message identifier expressed in code.			
		Refer to D.94B Data Element Dictionary for acceptable code values.			
7240		**Total number of items**	C	N	1/15
		Total number of items, having separate goods descriptions.			

		Segment:	**LIN** Line Item
Position:	300
Group:	Segment Group 21 Conditional
Level:	2
Usage:	Mandatory
Max Use:	1
Purpose:	To identify a line item and configuration.
Syntax Notes:	
Semantic Notes:	
Comments:	

Data Element Summary

Data Element	Component Element	Name	Attributes		
1082		**Line item number**	C	N	1/6

Serial number designating each separate item within a series of articles.

Unique number of the line item for the shipment

1229		**Action request/notification, coded**	C	AN	1/3

Code specifying the action to be taken or already taken.

1 = Added
2 = Deleted
3 = Changed

Refer to D.94B Data Element Dictionary for acceptable code values.

X	C212	**Item Number Identification**	C		

Goods identification for a specified source.

X	7140	**Item number**	C	AN	1/35

A number allocated to a group or item.

X	7143	**Item number type, coded**	C	AN	1/3

Identification of the type of item number.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	5495	**Sub-line indicator, coded**	C	AN	1/3

Indication that the segment and/or segment group is used for sub-line item information.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	1222	**Configuration level**	C	N	1/2

Number indicating the level of a sub-line item to describe a product and its attachments.

X   **7083**   **Configuration, coded**   **C**   **AN**   **1/3**

Code indicating the status of the sub-line item in the configuration.

Refer to D.94B Data Element Dictionary for acceptable code values.

Segment: **PIA** Additional Product Id
Position: 310
Group: Segment Group 21   Conditional
Level: 3
Usage: Conditional
Max Use: 1
Purpose: To specify additional or substitutional item identification codes.
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data Element	Component Element	Name	Attributes		
>>	4347		**Product id. function qualifier**	M	AN	1/3

Indication of the function of the product code.

5 = Product Identification

Refer to D.94B Data Element Dictionary for acceptable code values.

>>	C212		**Item Number Identification**	M		

Goods identification for a specified source.

>>		7140	**Item number**	C	AN	1/35

A number allocated to a group or item.

Export Identification Code

		7143	**Item number type, coded**	C	AN	1/3

Identification of the type of item number.

CG = Commodity grouping

Refer to D.94B Data Element Dictionary for acceptable code values.

		1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

110 = Customs special code

		3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

111= U.S. Customs:

Refer to D.94B Data Element Dictionary for acceptable code values.

>>	C212		**Item Number Identification**	C		

Goods identification for a specified source.

>>		7140	**Item number**	C	AN	1/35

A number allocated to a group or item.

Commodity Description

>>		7143	**Item number type, coded**	C	AN	1/3

Identification of the type of item number.

ZZZ : Mutually defined

Refer to D.94B Data Element Dictionary for acceptable code values.

		1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

121 : Commodity Description

Refer to D.94B Data Element Dictionary for acceptable code values.

		3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

>>	C212		**Item Number Identification**	C		

Goods identification for a specified source.

>>		7140	**Item number**	C	AN	1/35

A number allocated to a group or item.

Harmonised Schedule Number

		7143	**Item number type, coded**	C	AN	1/3

Identification of the type of item number.

HS : Harmonized Schedule

Refer to D.94B Data Element Dictionary for acceptable code values.

		1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

108 = Tariff Schedule

Refer to D.94B Data Element Dictionary for acceptable code values.

		3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

>>	C212		**Item Number Identification**	C		

Goods identification for a specified source.

>>		7140	**Item number**	C	AN	1/35

A number allocated to a group or item.

State of origin of the merchandise

		7143	**Item number type, coded**	C	AN	1/3

Identification of the type of item number.

ZZZ = Mutually defined

Refer to D.94B Data Element Dictionary for acceptable code values.

		1131	**Code list qualifier**	C	AN	1/3

Identification of a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

		3055	**Code list responsible agency, coded**	C	AN	1/3

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

C212   **Item Number Identification**   **C**

Goods identification for a specified source.

7140   **Item number**   **C**   **AN**   **1/35**

A number allocated to a group or item.

Indicator to detrmine changes to vehicle records for this shipment

1 = Added
2 = Deleted
3 = Changed

7143   **Item number type, coded**   **C**   **AN**   **1/3**

Identification of the type of item number.

ZZZ = Mutually defined

Refer to D.94B Data Element Dictionary for acceptable code values.

1131   **Code list qualifier**   **C**   **AN**   **1/3**

Identification of a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

3055   **Code list responsible agency, coded**   **C**   **AN**   **1/3**

Code identifying the agency responsible for a code list.

Refer to D.94B Data Element Dictionary for acceptable code values.

Segment: **MEA** Measurements
Position: 350
Group: Segment Group 21   Conditional
Level: 3
Usage: Conditional
Max Use: 5
Purpose: To specify physical measurements, including dimension tolerances, weights and counts.
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data Element	Component Element	Name		Attributes		
>>	6311		**Measurement application qualifier**	**M**	**AN**	**1/3**	

Specification of the application of the physical measurement used.

AAR = Net first quantity and Unit of measure
AAS = Net second quantity and Unit of measure
WT = Gross Shipping Weight

Refer to D.94B Data Element Dictionary for acceptable code values.

X	C502		**Measurement Details**	**C**			

Identification of measurement type.

X		6313	**Measurement dimension, coded**	**C**	**AN**	**1/3**	

Specification of the type of dimension to be measured.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		6321	**Measurement significance, coded**	**C**	**AN**	**1/3**	

Code specifying the significance of a measurement value.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		6155	**Measurement attribute, coded**	**C**	**AN**	**1/3**	

Code used to specify non-discrete measurement values.

Refer to D.94B Data Element Dictionary for acceptable code values.

X		6154	**Measurement attribute**	**C**	**AN**	**1/70**	

To specify non-discrete measurement values.

>>	C174		**Value/Range**	**C**			

Measurement value and relevant minimum and maximum tolerances in that order.

>>		6411	**Measure unit qualifier**	**M**	**AN**	**1/3**	

Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.

>>		6314	**Measurement value**	**C**	**N**	**1/18**	

Value of the measured unit.

X		6162	**Range minimum**	**C**	**N**	**1/18**	

Minimum of a range.

| X | | 6152 | **Range maximum** | C | N | **1/18** |

Maximum of a range.

| X | 7383 | | **Surface/layer indicator, coded** | C | AN | **1/3** |

Code indicating the surface or layer of a product that is being described.

Refer to D.94B Data Element Dictionary for acceptable code values.

Segment:	**MOA** Monetary Amount
Position:	370
Group:	Segment Group 21 Conditional
Level:	3
Usage:	Conditional
Max Use:	15
Purpose:	To specify a monetary amount.
Syntax Notes:	
Semantic Notes:	
Comments:	

Data Element Summary

Data Element	Component Element	Name	Attributes		
>>	C516	**Monetary Amount**	**M**		
		Amount of goods or services stated as a monetary amount in a specified currency.			
>>		**5025** **Monetary amount type qualifier**	**M**	**AN**	**1/3**
		Indication of type of amount.			
		43 = Decalred total Customs value 58 = Fee Amount (for HMF)			
		Refer to D.94B Data Element Dictionary for acceptable code values.			
	5004	**Monetary amount**	**C**	**N**	**1/18**
		Number of monetary units.			
	6345	**Currency, coded**	**C**	**AN**	**1/3**
		Identification of the name or symbol of the monetary unit involved in the transaction.			
	6343	**Currency qualifier**	**C**	**AN**	**1/3**
		Code giving specific meaning to data element 6345 Currency.			
		Refer to D.94B Data Element Dictionary for acceptable code values.			
	4405	**Status, coded**	**C**	**AN**	**1/3**
		Provides information regarding the status of an instruction.			
		Refer to D.94B Data Element Dictionary for acceptable code values.			

Segment:	**GIR** Related Identification Numbers
Position:	390
Group:	Segment Group 21 Conditional
Level:	3
Usage:	Conditional
Max Use:	9999
Purpose:	To specify a related set of identification numbers.
Syntax Notes:	
Semantic Notes:	
Comments:	

Data Element Summary

	Data Element	Component Element	Name	Attributes		
>>	7297		**Set identification qualifier**	M	AN	1/3

Identification of the type of set.

1 = Product (Marks and Numbers)
2 = License
4 = Vehicle reference set

Refer to D.94B Data Element Dictionary for acceptable code values.

	Data Element	Component Element	Name	Attributes		
>>	C206		**Identification Number**	M		

Goods item identification number.

		7402	**Identity number**	M	AN	1/35
>>						

Unique number affixed by the manufacturer to individual pieces of products for identification purposes.

Provide License Number

		7405	**Identity number qualifier**	C	AN	1/3

Code specifying the type/source of the product identification number.

ML = Marks and Numbers
VV = Vehicle Identity
 ZZ = Licensing requ.

Refer to D.94B Data Element Dictionary for acceptable code values.

	C206		**Identification Number**	C		

Goods item identification number.

		7402	**Identity number**	M	AN	1/35
>>						

Unique number affixed by the manufacturer to individual pieces of products for identification purposes.

Export Classification Code Number

		7405	**Identity number qualifier**	C	AN	1/3

Code specifying the type/source of the product identification number.

Refer to D.94B Data Element Dictionary for acceptable code values.

	C206		**Identification Number**	C		

Goods item identification number.

		7402	**Identity number**	M	AN	1/35
X						

Unique number affixed by the manufacturer to individual pieces of products for identification purposes.

		7405	**Identity number qualifier**		C	AN	1/3

Code specifying the type/source of the product identification number.

Refer to D.94B Data Element Dictionary for acceptable code values.

X	**C206**		**Identification Number**		C		

Goods item identification number.

X		7402	**Identity number**		M	AN	1/35

Unique number affixed by the manufacturer to individual pieces of products for identification purposes.

X		7405	**Identity number qualifier**		C	AN	1/3

Code specifying the type/source of the product identification number.

Refer to D.94B Data Element Dictionary for acceptable code values.

	C206		**Identification Number**		C		

Goods item identification number.

X		7402	**Identity number**		M	AN	1/35

Unique number affixed by the manufacturer to individual pieces of products for identification purposes.

		7405	**Identity number qualifier**		C	AN	1/3

Code specifying the type/source of the product identification number.

Refer to D.94B Data Element Dictionary for acceptable code values.

	Segment:	**UNS** Section Control

Position: 010
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: To separate Header, Detail and Summary sections of a message
Syntax Notes:
Semantic Notes:
Comments:
Notes: S = Summary

Data Element Summary

Data Element	Component Element	Name	Attributes
>>	0081	**Section identifier**	M A 1/1

A character identifying the next section in a message.

Refer to D.94B Data Element Dictionary for acceptable code values.

Segment: $\mathbf{CNT}$ **Control Total**

Position: 020
Group:
Level: 1
Usage: Conditional
Max Use: 5
Purpose: To provide control total.
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

Data Element	Component Element	Name	Attributes
>> C270		**Control**	M

Control total for checking integrity of a message or part of a message.

	6069	**Control qualifier**	M AN 1/3

Determines the source data elements in the message which forms the basis for 6066 Control value.

Refer to D.94B Data Element Dictionary for acceptable code values.

>>	6066	**Control value**	M N 1/18

Value obtained from summing the values specified by the Control Qualifier throughout the message (Hash total).

	6411	**Measure unit qualifier**	C AN 1/3

Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.

Segment: **UNT** **Message Trailer**
Position: 080
Group:
Level: 0
Usage: Mandatory
Max Use: 1
Purpose: To end and check the completeness of a Message
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	Data Element	Component Element	Name	Attributes		
>>	0074		**Number of segments in a message**	M	N	1/6
			Control count of number of segments in a message.			
>>	0062		**Message reference number**	M	AN	1/14
			Unique message reference assigned by the sender.			